

KDR-BES-U brush strip with clamp profile

in custom length or sized for Rittal, nVent Hoffman, ELDON, Häwa, Schneider Electric & ETA enclosures




Cable pass-through brush strip for enclosure bases or individual cut-outs on cabinets, enclosures, panels, server racks or machine walls.

Due to the innovative and universal clamp strip the brush can also be assembled in a 90° angle, e.g. on bent sheet metal. Brush may be removed from the profile at any time and remounted using other mounting options.

The KDR-BES-U brush strip is adaptable to almost any enclosure or cabinet type on the market. The standard gland plates included in the enclosure delivery can be used for assembly. They do not have to be changed!

There are 4 different models available:

- Order No. 58210.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 35 mm
- Order No. 58215.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 50 mm
- Order No. 58225.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 35 mm
- Order No. 58230.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 50 mm



Defining your individual length:

X (mm) = sight size of enclosure base opening

Order numbers (ex.):

X = 999 mm --> Order No. 58210.0999

Specifications

Material	Aluminium Brushes: Polyamide
Operating temperature	-20 C° to 90 C°
Properties	silicone free, halogen free

Advantages & benefits

- Quick assembly without tools
- Original enclosure gland plates can be used when mounting
- Three mounting types possible
- Brush may be remounted at any time using other mounting options
- Available in almost any length up to 1.500 mm

Product types & sizes

KDR-BES-U-xxxx (1.5-2-35 mm)



Part No.	58210.xxxx	Suitable for enclosure	universal
EAN			
Package quantity	1		
Brush height	35 mm		
For min. wall thickness	1,5 mm		
For max. wall thickness	2 mm		
For wall thickness	1,5 - 2 mm		

KDR-BES-U-xxxx (1.5-2-50 mm)



Part No.	58215.xxxx	Suitable for enclosure	universal
EAN			
Package quantity	1		
Brush height	50 mm		
For min. wall thickness	1,5 mm		
For max. wall thickness	2 mm		
For wall thickness	1,5 - 2 mm		

KDR-BES-U-xxxx (2.5-3-35 mm)

Part No.	58225.xxxx	Suitable for enclosure	universal
EAN			
Package quantity	1		
Brush height	35 mm		
For min. wall thickness	2,5 mm		
For max. wall thickness	3 mm		
For wall thickness	2,5 - 3 mm		



KDR-BES-U-xxxx (2.5-3-50 mm)

Part No.	58230.xxxx	Suitable for enclosure	universal
EAN			
Package quantity	1		
Brush height	50 mm		
For min. wall thickness	2,5 mm		
For max. wall thickness	3 mm		
For wall thickness	2,5 - 3 mm		



KDR-BES-U-VX25-600 (35 mm)



Part No.	58225.0452	Brush height	35 mm
EAN	4251269320385	For wall thickness	2,5 - 3 mm
Package quantity	1	Suitable for enclosure	Rittal VX25
Length	452 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	452 mm		

KDR-BES-U-VX25-600 (50mm)



Part No.	58230.0452	Brush height	50 mm
EAN	4251269320996	For wall thickness	2,5 - 3 mm
Package quantity	1	Suitable for enclosure	Rittal VX25
Length	452 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	452 mm		

KDR-BES-U-VX25-800 (35 mm)

Part No.	58225.0652	Brush height	35 mm
EAN	4251269320392	For wall thickness	2,5 - 3 mm
Package quantity	1	Suitable for enclosure	Rittal VX25
Length	652 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	652 mm		



KDR-BES-U-VX25-800 (50mm)

Part No.	58230.0652	Brush height	50 mm
EAN	4251269321016	For wall thickness	2,5 - 3 mm
Package quantity	1	Suitable for enclosure	Rittal VX25
Length	652 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	652 mm		



KDR-BES-U-VX25-1000 (35 mm)



Part No.	58225.0402	Division bar	yes
EAN	4251269320	Brush height	35 mm
	408	For wall	2,5 - 3 mm
Package quantity	1	thickness	
Length	402 mm	Suitable for enclosure	Rittal VX25
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	402 mm		

KDR-BES-U-VX25-1000 (50mm)



Part No.	58230.0402	Division bar	yes
EAN	4251269320	Brush height	50 mm
	989	For wall	2,5 - 3 mm
Package quantity	1	thickness	
Length	402 mm	Suitable for enclosure	Rittal VX25
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	402 mm		

KDR-BES-U-VX25-1200 (35 mm)

Part No.	58225.0502	Division bar	yes
EAN	4251269320415	Brush height	35 mm
		For wall	2,5 - 3 mm
Package quantity	1	thickness	
Length	502 mm	Suitable for enclosure	Rittal VX25
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	502 mm		



KDR-BES-U-VX25-1200 (50mm)

Part No.	58230.0502	Division bar	yes
EAN	4251269321009	Brush height	50 mm
		For wall	2,5 - 3 mm
Package quantity	1	thickness	
Length	502 mm	Suitable for enclosure	Rittal VX25
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	502 mm		



KDR-BES-U-TS8-600-0435



Part No.	58210.0435	Brush height	35 mm
EAN	4251269316524	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Rittal TS 8
Length	435 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	435 mm		

KDR-BES-U-TS8-800



Part No.	58210.0635	Brush height	35 mm
EAN	4251269316548	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Rittal TS 8
Length	635 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	635 mm		

KDR-BES-U-TS8-1000

Part No.	58210.0397	Division bar	yes
EAN	4251269316	Brush height	35 mm
	517	For wall	1,5 - 2 mm
Package quantity	1	thickness	
Length	397 mm	Suitable for enclosure	Rittal TS 8
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	397 mm		



KDR-BES-U-TS8-1000-0835

Part No.	58210.0835	Division bar	no
EAN	4251269316	Brush height	35 mm
	555	For wall	1,5 - 2 mm
Package quantity	1	thickness	
Length	835 mm	Suitable for enclosure	Rittal TS 8
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	835 mm		



KDR-BES-U-TS8-1200



Part No.	58210.0495	Division bar	yes
EAN	4251269316	Brush height	35 mm
	531	For wall	1,5 - 2 mm
Package quantity	1	thickness	
Length	495 mm	Suitable for enclosure	Rittal TS 8
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	495 mm		

KDR-BES-U-HW-600 (392/35 mm)



Part No.	58210.0392	For wall	1,5 - 2 mm
EAN	4251269324	thickness	
	697	Suitable for enclosure	Häwa H390 / H395
Package quantity	1		
Length	392 mm		
For enclosure width	600 mm		
Sight size of base opening	392 mm		
Brush height	35 mm		

KDR-BES-U-HW-600 (392/50 mm)

Part No.	58215.0392	For wall	1,5 - 2 mm
EAN	4251269324734	thickness	
		Suitable for	Häwa H390 /
Package	1	enclosure	H395
quantity			
Length	392 mm		
For enclosure	600 mm		
width			
Sight size of	392 mm		
base opening			
Brush height	50 mm		



KDR-BES-U-HW-600 (592/35 mm)

Part No.	58210.0592	For wall	1,5 - 2 mm
EAN	4251269324703	thickness	
		Suitable for	Häwa H390 /
Package	1	enclosure	H395
quantity			
Length	592 mm		
For enclosure	600 mm		
width			
Sight size of	592 mm		
base opening			
Brush height	35 mm		



KDR-BES-U-HW-600 (592/50 mm)



Part No.	58215.0592	For wall	1,5 - 2 mm
EAN	4251269324	thickness	
	741	Suitable for	Häwa H390 /
Package	1	enclosure	H395
quantity			
Length	592 mm		
For enclosure	600 mm		
width			
Sight size of	592 mm		
base opening			
Brush height	50 mm		

KDR-BES-U-HW-600 (792/35 mm)



Part No.	58210.0792	For wall	1,5 - 2 mm
EAN	4251269324	thickness	
	710	Suitable for	Häwa H390 /
Package	1	enclosure	H395
quantity			
Length	792 mm		
For enclosure	600 mm		
width			
Sight size of	792 mm		
base opening			
Brush height	35 mm		

KDR-BES-U-HW-600 (792/50 mm)

Part No.	58215.0792	For wall	1,5 - 2 mm
EAN	4251269324758	thickness	
		Suitable for	Häwa H390 /
Package quantity	1	enclosure	H395
Length	792 mm		
For enclosure width	600 mm		
Sight size of base opening	792 mm		
Brush height	50 mm		



KDR-BES-U-HW-600 (992/35 mm)

Part No.	58210.0992	For wall	1,5 - 2 mm
EAN	4251269324727	thickness	
		Suitable for	Häwa H390 /
Package quantity	1	enclosure	H395
Length	992 mm		
For enclosure width	600 mm		
Sight size of base opening	992 mm		
Brush height	35 mm		



KDR-BES-U-HW-600 (992/50 mm)



Part No.	58215.0992	For wall	1,5 - 2 mm
EAN	4251269324	thickness	
	765	Suitable for	Häwa H390 /
Package	1	enclosure	H395
quantity			
Length	992 mm		
For enclosure	600 mm		
width			
Sight size of	992 mm		
base opening			
Brush height	50 mm		

KDR-BES-U-SSP-600 (35 mm)



Part No.	58210.0414	Brush height	35 mm
EAN	4251269324	For wall	1,5 - 2 mm
	611	thickness	
Package	1	Suitable for	Schneider
quantity		enclosure	Electric
Length	414 mm		Spacial SF
Width	16 mm		
For enclosure	600 mm		
width			
Sight size of	414 mm		
base opening			

KDR-BES-U-SSP-600 (50 mm)

Part No.	58215.0414	Brush height	50 mm
EAN	4251269324659	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
Length	414 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	414 mm		



KDR-BES-U-SSP-800 (35 mm)

Part No.	58210.0614	Brush height	35 mm
EAN	4251269324628	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
Length	614 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	614 mm		



KDR-BES-U-SSP-800 (50 mm)



Part No.	58215.0614	Brush height	50 mm
EAN	4251269324666	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
Length	614 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	614 mm		

KDR-BES-U-SSP-1000 (35 mm)



Part No.	58210.0814	Brush height	35 mm
EAN	4251269324635	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
Length	814 mm		
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	814 mm		

KDR-BES-U-SSP-1000 (50 mm)

Part No.	58215.0814	Brush height	50 mm
EAN	4251269324673	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
Length	814 mm		
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	814 mm		



KDR-BES-U-SSP-1200 (35 mm)

Part No.	58210.0477	Brush height	35 mm
EAN	4251269324642	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
Length	477 mm		
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	477 mm		



KDR-BES-U-SSP-1200 (50 mm)



Part No.	58215.0477	Brush height	50 mm
EAN	4251269324680	For wall thickness	1,5 - 2 mm
Package quantity	1	Suitable for enclosure	Schneider Electric Spacial SF
Length	477 mm		
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	477 mm		

KDR-BES-U-ELDON-600 (35 mm)



Part No.	58221.0435	Brush height	35 mm
EAN	4251269325229	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	1		
Length	435 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	435 mm		

KDR-BES-U-ELDON-600 (50 mm)

Part No.	58222.0435	Brush height	50 mm
EAN	4251269325267	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	1		
Length	435 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	435 mm		



KDR-BES-U-ELDON-800+1600 (35 mm)

Part No.	58221.0635	Brush height	35 mm
EAN	4251269325236	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	1		
Length	635 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	635 mm		



KDR-BES-U-ELDON-800+1600 (50 mm)



Part No.	58222.0635	Brush height	50 mm
EAN	4251269325	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	274		
Length	1		
Width	635 mm		
For enclosure width	16 mm		
Sight size of base opening	800 mm		
	635 mm		

KDR-BES-U-ELDON-1000 (35 mm)



Part No.	58221.0835	Brush height	35 mm
EAN	4251269325	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	243		
Length	1		
Width	835 mm		
For enclosure width	16 mm		
Sight size of base opening	1.000 mm		
	835 mm		

KDR-BES-U-ELDON-1000 (50 mm)



Part No.	58222.0835	Brush height	50 mm
EAN	4251269325281	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	1		
Length	835 mm		
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	835 mm		

KDR-BES-U-ELDON-1200 (35 mm)



Part No.	58221.0495	Brush height	35 mm
EAN	4251269325250	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	1		
Length	495 mm		
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	495 mm		

KDR-BES-U-ELDON-1200 (50 mm)



Part No.	58222.0495	Brush height	50 mm
EAN	4251269325298	Suitable for enclosure	nVent Eldon MCD/MCS/MKD/MKS
Package quantity	1		
Length	495 mm		
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	495 mm		

KDR-BES-U-ETA-ENUX-600 (35 mm)



Part No.	58221.0363	Brush height	35 mm
EAN	4251269325304	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	363 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	363 mm		

KDR-BES-U-ETA-ENUX-600 (50 mm)

Part No.	58222.0363	Brush height	50 mm
EAN	4251269325342	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	363 mm		
Width	16 mm		
For enclosure width	600 mm		
Sight size of base opening	363 mm		



KDR-BES-U-ETA-ENUX-800 (35 mm)

Part No.	58221.0563	Brush height	35 mm
EAN	4251269325311	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	563 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	563 mm		



KDR-BES-U-ETA-ENUX-800 (50 mm)



Part No.	58222.0563	Brush height	50 mm
EAN	4251269325359	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	563 mm		
Width	16 mm		
For enclosure width	800 mm		
Sight size of base opening	563 mm		

KDR-BES-U-ETA-ENUX-1000 (35 mm)



Part No.	58221.0345	Brush height	35 mm
EAN	4251269325328	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	345 mm		
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	345 mm		

KDR-BES-U-ETA-ENUX-1000 (50 mm)



Part No.	58222.0345	Brush height	50 mm
EAN	4251269325366	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	345 mm		
Width	16 mm		
For enclosure width	1.000 mm		
Sight size of base opening	345 mm		

KDR-BES-U-ETA-ENUX-1200 (35 mm)



Part No.	58221.0445	Brush height	35 mm
EAN	4251269325335	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	445 mm		
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	445 mm		

KDR-BES-U-ETA-ENUX-1200 (50 mm)



Part No.	58222.0445	Brush height	50 mm
EAN	4251269325373	Suitable for enclosure	ETA E NUX
Package quantity	1		
Length	445 mm		
Width	16 mm		
For enclosure width	1.200 mm		
Sight size of base opening	445 mm		

KDR-BES-U-HG2-600



Part No.	58210.0362	Suitable for enclosure	nVent Hoffman PROLINE G2
EAN	4251269318207		
Package quantity	1		
Length	362 mm		
For enclosure width	600 mm		
Sight size of base opening	362 mm		
Brush height	35 mm		

KDR-BES-U-HG2-800

Part No.	58210.0562	Suitable for enclosure	nVent Hoffman PROLINE G2
EAN	4251269318214		
Package quantity	1		
Length	562 mm		
For enclosure width	800 mm		
Sight size of base opening	562 mm		
Brush height	35 mm		



KDR-BES-U-HG2-1000

Part No.	58210.0762	Suitable for enclosure	nVent Hoffman PROLINE G2
EAN	4251269318221		
Package quantity	1		
Length	762 mm		
For enclosure width	1.000 mm		
Sight size of base opening	762 mm		
Brush height	35 mm		



Edge protection trim

Part No.	99152
EAN	4251269318238
Package quantity	1
Length	100.000 mm
Suitable for enclosure	universal
Clamping range	0 x 1 - 2 mm



icotek[®]
smart cable management