EMC shield clamps for metal sheet edges, pluggable

with or without integrated strain relief



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields.

When using types with integrated strain relief cables can be fixed via the cable jacket using cable ties. Thus strain relief in accordance with EN 62444 is achieved.

Due to its special design the clamping ranges of the MSKL are very large while the dimensions are comparatively small. (Example: MSKL 3-12, assembled with a 12 mm cable shield: width 26.25 mm).

These shield clamps are used where a screw connection is either not possible or wanted. The shield is simply plugged on the metal sheet edge. The claws provide a secure grip, even in case of vibrations.

Specifications

Material	Shield clamp: Spring steel, zinc plated Mounting foot: Spring steel
Properties	vibration proof
Mounting options	Clamping

Advantages & benefits

- Partially with integrated strain relief
- Large contact area
- Shield contact and strain relief separated
- Quick assembly without tools
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Designed for high density applications
- Shock and vibration resistant, maintenance free

Product types & sizes

PFK-A|SKL 1.5-3



Part No.	**36778.1**	Min. shield diam.	**1,5 mm**
EAN	**4251269303 227**	Max. shield diam.	**3 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
		Height	**19,4 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**1,5 - 3 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK-B|SKL 1.5-3



Part No.	**36782.1**	Min. shield diam.	**1,5 mm**
EAN	**4251269303760**	Max. shield diam.	**3 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**20,4 mm**
Shield diameter	**1,5 - 3 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK-A|SKL 3-6



Part No.	**36778.2**	Min. shield diam.	**3 mm**
EAN	**4251269303234**	Max. shield diam.	**6 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**20,1 mm**
Shield diameter	**3 - 6 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK-B|SKL 3-6

Part No.	**36782.2**	Min. shield diam.	**3 mm**
EAN	**4251269303 777**	Max. shield diam.	**6 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**21,1 mm**
Shield diameter	**3 - 6 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK-A|SKL 6-8

Part No.	**36778.3**	Min. shield diam.	**6 mm**
EAN	**4251269303 241**	Max. shield diam.	**8 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**21,5 mm**
Shield diameter	**6 - 8 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK-B|SKL 6-8



Part No.	**36782.3**	Min. shield diam.	**6 mm**
EAN	**4251269303784**	Max. shield diam.	**8 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**22,5 mm**
Shield diameter	**6 - 8 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK-A|SKL 8-11



Part No.	**36778.4**	Min. shield diam.	**8 mm**
EAN	**4251269303258**	Max. shield diam.	**11 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**26,5 mm**
Shield diameter	**8 - 11 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK-B|SKL 8-11

Part No.	**36782.4**	Min. shield diam.	**8 mm**
EAN	**4251269303791**	Max. shield diam.	**11 mm**
Package quantity	**10**	Length	**28,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**27,5 mm**
Shield diameter	**8 - 11 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 01

Part No.	**36780.01**	Length	**32,5 mm**
EAN	**4251269303302**	Min. shield diam. pos. 2	**1,5 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**3 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**20,7 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 1,5 - 3 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 01



Part No.	**36784.01**	Length	**32,5 mm**
EAN	**4251269303845**	Min. shield diam. pos. 2	**1,5 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**3 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**20,4 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 1,5 - 3 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 02



Part No.	**36780.02**	Length	**32,5 mm**
EAN	**4251269303319**	Min. shield diam. pos. 2	**3 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**6 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**21,5 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 3 - 6 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 02

Part No.	**36784.02**	Length	**32,5 mm**
EAN	**4251269303852**	Min. shield diam. pos. 2	**3 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**6 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**21,1 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 3 - 6 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 03

Part No.	**36780.03**	Length	**32,5 mm**
EAN	**4251269303326**	Min. shield diam. pos. 2	**6 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**8 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**22,9 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 6 - 8 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 03



Part No.	**36784.03**	Length	**32,5 mm**
EAN	**4251269303869**	Min. shield diam. pos. 2	**6 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**8 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**22,5 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 6 - 8 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 04



Part No.	**36780.04**	Length	**32,5 mm**
EAN	**4251269303333**	Min. shield diam. pos. 2	**8 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**11 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**27,9 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 8 - 11 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 04

Part No.	**36784.04**	Length	**32,5 mm**
EAN	**4251269303876**	Min. shield diam. pos. 2	**8 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**11 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**27,5 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 8 - 11 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 10

Part No.	**36780.10**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303340**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**20,7 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**1,5 - 3 mm | -**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 10



Part No.	**36784.10**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303883**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
For max. no. of cables	**1**	Height	**20,4 mm**
Shield diameter	**1,5 - 3 mm | -**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 11



Part No.	**36780.11**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303357**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**20,7 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 11

Part No.	**36784.11**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303890**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**20,4 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 12

Part No.	**36780.12**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303364**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**21,5 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 12



Part No.	**36784.12**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303906**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**21,1 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 13



Part No.	**36780.13**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303371**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**22,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 13

Part No.	**36784.13**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303913**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**22,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 14

Part No.	**36780.14**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303388**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**27,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 14



Part No.	**36784.14**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303920**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**1,5 - 3 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**27,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 20



Part No.	**36780.20**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303395**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**21,5 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**3 - 6 mm | -**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 20

Part No.	**36784.20**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303937**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**21,1 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**3 - 6 mm | -**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 21

Part No.	**36780.21**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303401**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**21,5 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 21



Part No.	**36784.21**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303944**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**21,1 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 22



Part No.	**36780.22**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303418**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**21,5 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 22

Part No.	**36784.22**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303951**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**21,1 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 23

Part No.	**36780.23**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303425**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**22,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 23



Part No.	**36784.23**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303968**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**22,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 24



Part No.	**36780.24**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303432**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**27,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 24

Part No.	**36784.24**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303975**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**3 - 6 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**27,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 30

Part No.	**36780.30**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303449**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**22,9 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**6 - 8 mm | -**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 30



Part No.	**36784.30**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303982**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
For max. no. of cables	**1**	Height	**22,5 mm**
Shield diameter	**6 - 8 mm | -**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 31



Part No.	**36780.31**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303456**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**22,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 31

Part No.	**36784.31**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303999**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**22,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 32

Part No.	**36780.32**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303463**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**22,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 32



Part No.	**36784.32**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304002**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**22,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 33



Part No.	**36780.33**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303470**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**22,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 33

Part No.	**36784.33**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304019**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**22,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 34

Part No.	**36780.34**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303487**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**27,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 34



Part No.	**36784.34**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304026**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**6 - 8 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**27,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 40



Part No.	**36780.40**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303494**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**27,9 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**8 - 11 mm | -**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 40

Part No.	**36784.40**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304033**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**1**	Strain relief function	**No**
Shield clamp type	**SKL**	Width	**18 mm**
For max. no. of cables	**1**	Height	**27,5 mm**
Shield diameter	**8 - 11 mm | -**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFK2-A|SKL 41

Part No.	**36780.41**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303500**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**8 - 11 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**27,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFK2-B|SKL 41



Part No.	**36784.41**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304040**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**8 - 11 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**27,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 42



Part No.	**36780.42**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303517**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**8 - 11 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**27,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 42



Part No.	**36784.42**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304057**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**8 - 11 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**27,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFK2-A|SKL 43



Part No.	**36780.43**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303524**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**8 - 11 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**27,9 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFK2-B|SKL 43



Part No.	**36784.43**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304064**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**32,5 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**No**
Shield diameter	**8 - 11 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**27,5 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ-A-M|MSKL 3-12



Part No.	**37640**	Min. shield diam.	**3 mm**
EAN	**4251269316746**	Max. shield diam.	**12 mm**
Package quantity	**10**	Length	**38 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**MSKL**	Width	**15 mm**
For max. no. of cables	**1**	Height	**28,8 mm**
Shield diameter	**3 - 12 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ-B-M|MSKL 3-12



Part No.	**37650**	Min. shield diam.	**3 mm**
EAN	**4251269316760**	Max. shield diam.	**12 mm**
Package quantity	**10**	Length	**38 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**MSKL**	Width	**15 mm**
For max. no. of cables	**1**	Height	**28 mm**
Shield diameter	**3 - 12 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ-A-M|MSKL 8-18

Part No.	**37642**	Min. shield diam.	**8 mm**
EAN	**4251269316753**	Max. shield diam.	**18 mm**
Package quantity	**10**	Length	**38 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**MSKL**	Width	**20 mm**
For max. no. of cables	**1**	Height	**35 mm**
Shield diameter	**8 - 18 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ-B-M|MSKL 8-18

Part No.	**37652**	Min. shield diam.	**8 mm**
EAN	**4251269316777**	Max. shield diam.	**18 mm**
Package quantity	**10**	Length	**38 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**MSKL**	Width	**20 mm**
For max. no. of cables	**1**	Height	**35 mm**
Shield diameter	**8 - 18 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ-A|SKL 1.5-3



Part No.	**36779.1**	Min. shield diam.	**1,5 mm**
EAN	**4251269303265**	Max. shield diam.	**3 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**21 mm**
Shield diameter	**1,5 - 3 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ-B|SKL 1.5-3



Part No.	**36783.1**	Min. shield diam.	**1,5 mm**
EAN	**4251269303807**	Max. shield diam.	**3 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**21 mm**
Shield diameter	**1,5 - 3 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ-A|SKL 3-6



Part No.	**36779.2**	Min. shield diam.	**3 mm**
EAN	**4251269303272**	Max. shield diam.	**6 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
		Height	**20,5 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**3 - 6 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ-B|SKL 3-6



Part No.	**36783.2**	Min. shield diam.	**3 mm**
EAN	**4251269303814**	Max. shield diam.	**6 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
		Height	**21,6 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**3 - 6 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ-A|SKL 6-8

Part No.	**36779.3**	Min. shield diam.	**6 mm**
EAN	**4251269303289**	Max. shield diam.	**8 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**22 mm**
Shield diameter	**6 - 8 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ-B|SKL 6-8

Part No.	**36783.3**	Min. shield diam.	**6 mm**
EAN	**4251269303821**	Max. shield diam.	**8 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**23 mm**
Shield diameter	**6 - 8 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ-A|SKL 8-11



Part No.	**36779.4**	Min. shield diam.	**8 mm**
EAN	**4251269303296**	Max. shield diam.	**11 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**27 mm**
Shield diameter	**8 - 11 mm**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ-B|SKL 8-11



Part No.	**36783.4**	Min. shield diam.	**8 mm**
EAN	**4251269303838**	Max. shield diam.	**11 mm**
Package quantity	**10**	Length	**33 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**12 mm**
For max. no. of cables	**1**	Height	**28 mm**
Shield diameter	**8 - 11 mm**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 01

Part No.	**36781.01**	Length	**37 mm**
EAN	**4251269303531**	Min. shield diam. pos. 2	**1,5 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**3 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**21,2 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 1,5 - 3 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 01

Part No.	**36785.01**	Length	**37 mm**
EAN	**4251269304071**	Min. shield diam. pos. 2	**1,5 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**3 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**20,9 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 1,5 - 3 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 02



Part No.	**36781.02**	Length	**37 mm**
EAN	**4251269303548**	Min. shield diam. pos. 2	**3 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**6 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**22 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 3 - 6 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 02



Part No.	**36785.02**	Length	**37 mm**
EAN	**4251269304088**	Min. shield diam. pos. 2	**3 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**6 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**21,6 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 3 - 6 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 03

Part No.	**36781.03**	Length	**37 mm**
EAN	**4251269303555**	Min. shield diam. pos. 2	**6 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**8 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**23,4 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 6 - 8 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 03

Part No.	**36785.03**	Length	**37 mm**
EAN	**4251269304095**	Min. shield diam. pos. 2	**6 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**8 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**23 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 6 - 8 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 04



Part No.	**36781.04**	Length	**37 mm**
EAN	**4251269303562**	Min. shield diam. pos. 2	**8 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**11 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**28,4 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**- | 8 - 11 mm**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 04



Part No.	**36785.04**	Length	**37 mm**
EAN	**4251269304101**	Min. shield diam. pos. 2	**8 mm**
Package quantity	**10**	Max. shield diam. pos. 2	**11 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**28 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**- | 8 - 11 mm**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 10

Part No.	**36781.10**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303579**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**21,2 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**1,5 - 3 mm | -**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 10

Part No.	**36785.10**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269304118**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**20,9 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**1,5 - 3 mm | -**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 11



Part No.	**36781.11**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303586**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**21,2 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 11



Part No.	**36785.11**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269304125**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**20,9 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 12

Part No.	**36781.12**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303593**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**22 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 12

Part No.	**36785.12**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269304132**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**21,6 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 13



Part No.	**36781.13**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303609**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**23,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 13



Part No.	**36785.13**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269304149**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**23 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 14

Part No.	**36781.14**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269303616**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**28,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 14

Part No.	**36785.14**	Min. shield diam. pos. 1	**1,5 mm**
EAN	**4251269304156**	Max. shield diam. pos. 1	**3 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**1,5 - 3 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**28 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 20



Part No.	**36781.20**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303623**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
For max. no. of cables	**1**	Height	**22 mm**
Shield diameter	**3 - 6 mm | -**	For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 20



Part No.	**36785.20**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269304163**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
For max. no. of cables	**1**	Height	**21,6 mm**
Shield diameter	**3 - 6 mm | -**	For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 21

Part No.	**36781.21**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303630**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**22 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 21

Part No.	**36785.21**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269304170**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**21,6 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 22



Part No.	**36781.22**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303647**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**22 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 22



Part No.	**36785.22**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269304187**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**21,6 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 23

Part No.	**36781.23**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303654**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**23,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 23

Part No.	**36785.23**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269304194**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**23 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 24



Part No.	**36781.24**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269303661**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**28,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 24



Part No.	**36785.24**	Min. shield diam. pos. 1	**3 mm**
EAN	**4251269304200**	Max. shield diam. pos. 1	**6 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**3 - 6 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**28 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 30

Part No.	**36781.30**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303678**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**23,4 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**6 - 8 mm | -**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 30

Part No.	**36785.30**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304217**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**23 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**6 - 8 mm | -**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 31



Part No.	**36781.31**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303685**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**23,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 31



Part No.	**36785.31**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304224**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**23 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 32

Part No.	**36781.32**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303692**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**23,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 32

Part No.	**36785.32**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304231**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**23 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 33



Part No.	**36781.33**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303708**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**23,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 33



Part No.	**36785.33**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304248**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**23 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 34

Part No.	**36781.34**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269303 715**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**28,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 34

Part No.	**36785.34**	Min. shield diam. pos. 1	**6 mm**
EAN	**4251269304 255**	Max. shield diam. pos. 1	**8 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**8 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**11 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**6 - 8 mm | 8 - 11 mm**	Width	**20 mm**
		Height	**28 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 40



Part No.	**36781.40**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303722**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**28,4 mm**
For max. no. of cables	**1**	For min. wall thickness	**1,5 mm**
Shield diameter	**8 - 11 mm | -**	For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 40



Part No.	**36785.40**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304262**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**1**	Strain relief function	**Yes**
Shield clamp type	**SKL**	Width	**18 mm**
		Height	**28 mm**
For max. no. of cables	**1**	For min. wall thickness	**2 mm**
Shield diameter	**8 - 11 mm | -**	For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 41

Part No.	**36781.41**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303739**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**8 - 11 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**28,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 41

Part No.	**36785.41**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304279**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**1,5 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**3 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**8 - 11 mm | 1,5 - 3 mm**	Width	**20 mm**
		Height	**28 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



PFKZ2-A|SKL 42



Part No.	**36781.42**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303746**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**8 - 11 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**28,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**

PFKZ2-B|SKL 42



Part No.	**36785.42**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304286**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**3 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**6 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**8 - 11 mm | 3 - 6 mm**	Width	**20 mm**
		Height	**28 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**

PFKZ2-A|SKL 43

Part No.	**36781.43**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269303753**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**8 - 11 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**28,4 mm**
		For min. wall thickness	**1,5 mm**
		For max. wall thickness	**2 mm**
		For wall thickness	**1,5 - 2 mm**



PFKZ2-B|SKL 43

Part No.	**36785.43**	Min. shield diam. pos. 1	**8 mm**
EAN	**4251269304293**	Max. shield diam. pos. 1	**11 mm**
Package quantity	**10**	Length	**37 mm**
No. of shield clamps	**2**	Min. shield diam. pos. 2	**6 mm**
Shield clamp type	**SKL**	Max. shield diam. pos. 2	**8 mm**
For max. no. of cables	**2**	Strain relief function	**Yes**
Shield diameter	**8 - 11 mm | 6 - 8 mm**	Width	**20 mm**
		Height	**28 mm**
		For min. wall thickness	**2 mm**
		For max. wall thickness	**3 mm**
		For wall thickness	**2 - 3 mm**



smart cable management